Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
C. R. Cantor
P. Chambon
W. W. Franke
M. Gellert
G. A. Gilbert
M. Gottesman
I. Herskowitz
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
J. H. Miller
M. F. Moody
K. Simons

VOLUME 177

25 July to 25 August 1984

ACADEMIC PRESS
London New York San Francisco

Copyright © 1984, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 177

Number 1, 25 July 1984

Lin, R.-J., Capage, M. and Hill, C. W., A Repetitive DNA Sequence, *rhs*, Responsible for Duplications Within the *Escherichia coli* K-12 Chromosome 1

Steen, M.-L., Hellman, L. and Pettersson, U., Rat immunoglobulin E Heavy Chain Locus 19

Koffel-Schwartz, N., Verdier, J.-M., Bichara, M., Freund, A.-M., Daune, M. P. and Fuchs, R. P. P., Carcinogen-induced Mutation Spectrum in Wild-type *uvrA* and *umuC* Strains of *Escherichia coli*. Strain Specificity and Mutation-prone Sequences 33

Hasson, J.-F., Mougneau, E., Cuzin, F. and Yaniv, M., Simian Virus 40 Illegitimate Recombination Occurs Near Short Direct Repeats . . 53

Appendix: 65

Gutierrez, C. and Raibaud, O., Point Mutations that Reduce the Expression of *malPQ*, a Positively Controlled Operon of *Escherichia coli* 69

Goldfarb, A. and Malik, S., Changed Promoter Specificity and Antitermination Properties Displayed *in Vitro* by Bacteriophage T4-modified RNA Polymerase 87

Zaret, K. S. and Sherman, F., Mutationally Altered 3′ Ends of Yeast *CYC1* mRNA Affect Transcript Stability and Translational Efficiency . . 107

Cooper, J. and Trinick, J., Binding and Location of AMP Deaminase in Rabbit Psoas Muscle Myofibrils 137

Mendelsen, R. A. and Wagner, P. D., X-ray Scattering by a Single-headed Heavy Meromyosin. Cleavage of the Myosin Head from the Rod does not Change its Shape 153

Letters to the Editor

Fuchs, R. P. P., DNA Binding Spectrum of the Carcinogen *N*-acetoxy-*N*-2-acetylaminofluorene Significantly Differs from the Mutation Spectrum 173

Maenhaut-Michel, G. and Caillet-Fauquet, P., Effect of *umuC* Mutations on Targeted and Untargeted Ultraviolet Mutagenesis in Bacteriophage λ 181

Salzano, G. and Malva, C., Non-random Loss of Uninterrupted Ribosomal DNA Repeating Units upon Induction of a *bobbed* Mutation 189

Yonath, A., Bartunik, H. D., Bartels, K. S. and Wittmann, H. G., Some X-ray Diffraction Patterns from Single Crystals of the Large Ribosomal Subunit from *Bacillus stearothermophilus* . . . 201

Number 2, 5 August 1984

Mirau, P. A. and Kearns, D. R., Effect of Environment, Conformation, Sequence and Base Substituents on the Imino Proton Exchange Rates in Guanine and Inosine-containing DNA, RNA and DNA–RNA Duplexes. 207

Machida, Y., Machida, C. and Ohtsubo, E., Insertion Element IS*1* Encodes Two Structural Genes Required for its Transposition . . 229

Machida, C., Machida, Y. and Ohtsubo, E., Both Inverted Repeat Sequences Located at the Ends of IS*1* Provide Promoter Functions . 247

Shi, J.-P. and Fersht, A. R., Fidelity of DNA Replication Under Conditions Used for Oligodeoxynucleotide-directed Mutagenesis . . 269

Mace, D. C. and Alberts, B. M., The Complex of T4 Bacteriophage Gene *44* and *62* Replication Proteins Forms an ATPase that is Stimulated by DNA and by T4 Gene *45* Protein 279

Mace, D. C. and Alberts, B. M., T4 DNA Polymerase. Rates and Processivity on Single-stranded DNA Templates 295

Mace, D. C. and Alberts, B. M., Characterization of the Stimulatory Effect of T4 Gene *45* Protein and the Gene *44/62* Protein Complex on DNA Synthesis by T4 DNA Polymerase 313

Vacher, J., Grosjean, H., Houssier, C. and Buckingham, R. H., The Effect of Point Mutations Affecting *Escherichia coli* Tryptophan tRNA on Anticodon–Anticodon Interactions and on UGA Suppression . . 329

Miller, K. S., Zbrzezna, V. and Pogo, A. O., Interstrand Duplexes in Friend Erythroleukemia Nuclear RNA. The Interaction of Non-polyadenylated Nuclear RNA with Polyadenylated Nuclear RNA and with Small Nuclear RNAs 343

Letter to the Editor

Vandonselaar, M., Lee, J. S. and Delbaere, L. T. J., Preliminary Crystallographic Data for a Monoclonal Fab Fragment Specific for HPr of the Phosphoenolpyruvate:Sugar Phosphotransferase System of *Escherichia coli* 369

Number 3, 15 August 1984

Ausio, J., Borochov, N., Seger, D. and Eisenberg, H., Interaction of Chromatin with NaCl and $MgCl_2$. Solubility and Binding Studies, Transition to and Characterization of the Higher-order Structure . . 373

Skowronski, J., Plucienniczak, A., Bednarek, A. and Jaworski, J., Bovine 1·709 Satellite. Recombination Hotspots and Dispersed Repeated Sequences 399

Arnold, E., Erickson, J. W., Fout, G. S., Frankenberger, E. A., Hecht, H.-J., Luo, M., Rossmann, M. G. and Rueckert, R. R., Virion Orientation in Cubic Crystals of the Human Common Cold Virus HRV14 417

Mounts, P. and Kelly, T. J., Jr, Rearrangements of Host and Viral DNA in Mouse Cells Transformed by Simian Virus 40 431

Knight, P. and Trinick, J., Structure of the Myosin Projections on Native Thick Filaments from Vertebrate Skeletal Muscle 461

Stoeckert, C. J., Jr, Beer, M., Wiggins, J. W. and Wierman, J. C., Histone Positions within the Nucleosome Using Platinum Labeling and the Scanning Transmission Electron Microscope 483

Mandelkow, E., Schultheiss, R. and Mandelkow, E.-M., Assembly and Three-dimensional Image Reconstruction of Tubulin Hoops . . . 507

Loebermann, H., Tokuoka, R., Deisenhofer, J. and Huber, R., Human α_1-Proteinase Inhibitor. Crystal Structure Analysis of Two Crystal Modifications, Molecular Model and Preliminary Analysis of the Implications for Function 531

Letters to the Editor

Gehrig, L. M. B., Delbaere, L. T. J. and Hickie, R. A., Preliminary X-ray Data for the Calmoldulin/Trifluoperazine Complex . . 559

Shoham, M., Levinson, B. L. and Richards, F. M., Crystallization and Preliminary X-ray Diffraction Studies of Colicin E_3 Immunity Protein 563

Novotný, J., Bruccoleri, R. E. and Newell, J., Twisted Hyperboloid (*Strophoid*) as a Model of β-Barrels in Proteins . . 567

Number 4, 25 August 1984

Murphy, S., Altruda, F., Ullu, E., Tripodi, M., Silengo, L. and Melli, M., DNA Sequences Complementary to Human 7 SK RNA Show Structural Similarities to the Short Mobile Elements of the Mammalian Genome 575

Nussinov, R., Shapiro, B., Lipkin, L. E. and Maizel, J. V., Jr, DNAase I Hypersensitive Sites may be Correlated with Genomic Regions of Large Structural Variation 591

Yoshimura, M., Kimura, M., Ohno, M., Inokuchi, H. and Ozeki, H., Identification of Transfer RNA Suppressors in *Escherichia coli*. III. Ochre Suppressors of Lysine tRNA 609

Yoshimura, M., Inokuchi, H. and Ozeki, H., Identification of Transfer RNA Suppressors in *Escherichia coli*. IV. Amber Suppressor Su^+6 a Double Mutant of a New Species of Leucine tRNA 627

Johnson, R. C. and Reznikoff, W. S., Role of the IS*50R* Proteins in the Promotion and Control of Tn*5* Transposition. 645

Munson, L. M., Stormo, G. D., Niece, R. L. and Reznikoff, W. S., *lacZ* Translation Initiation Mutations 663

Johnston, S. and Ray, D. S., Interference Between M13 and *ori*M13 Plasmids is Mediated by a Replication Enhancer Sequence Near the Viral Strand Origin 685

Hopper, P., Harrison, S. C. and Sauer, R. T., Structure of Tomato Bushy Stunt Virus. V. Coat Protein Sequence Determination and its Structural Implications 701

Thoma, F., Bergman, L. W. and Simpson, R. T., Nuclease Digestion of Circular TRP1ARS1 Chromatin Reveals Positioned Nucleosomes Separated by Nuclease-sensitive Regions 715

Jones, T. A. and Liljas, L., Structure of Satellite Tobacco Necrosis Virus after Crystallographic Refinement at 2·5 Å Resolution 735

Nagano, H. and Yanagida, T., Predominant Attached State of Myosin Cross-bridges During Contraction and Relaxation at Low Ionic Strength 769

Novotný, J., Bruccoleri, R. and Karplus, M., An Analysis of Incorrectly Folded Protein Models. Implications for Structure Predictions . . 787

Potel, M. J., Wellems, T. E., Vassar, R. J., Deer, B. and Josephs, R., Macrofiber Structure and the Dynamics of Sickle Cell Hemoglobin Crystallization 819

Letters to the Editor

Folkhard, W., Knörzer, E., Mosler, E. and Nemetschek, Th., Packing of Collagen Molecules Modified with 2-Propanol . . 841

Yasui, M., Harada, S., Kai, Y. and Kasai, N., A New Crystal Form and Preliminary Crystallographic Data for Ferricytochrome *c'* from *Rhodospirillum rubrum* 845

Index to Volume 177

Alberts, B. M. (see also Mace, D. C.), 279, 295, 313
Altruda, F. (see also Murphy, S.), 575
Amber suppressor Su^+6 a double mutant of a new species of leucine tRNA; identification of tRNA suppressors in *Escherichia coli*, 627
AMP deaminase, binding and location in rabbit psoas muscle myofibrils, 137
Anticodon–anticodon interactions, the effect of point mutations affecting *Escherichia coli* tryptophan tRNA, 329
Arnold, E., Erickson, J. W., Fout, G. S., Frankenberger, E. A., Hecht, H.-J., Luo, M., Rossmann, M. G. & Rueckert, R. R., Virion orientation in cubic crystals of the human common cold virus HRV14, 417
Assembly and three-dimensional image reconstruction of tubulin hoops, 507
ATPase, stimulated by DNA and by T4 gene *45* protein, is formed by the T4 gene *44/62* replication protein complex, 279
Ausio, J., Borochov, N., Seger, D. & Eisenberg, H., Interaction of chromatin with NaCl and $MgCl_2$. Solubility and binding studies, transition to and characterization of the higher-order structure, 373

Bacillus stearothermophilus, some X-ray diffraction patterns from single crystals of the large ribosomal subunit, 201
Bacteriophage λ, effect of *umuC* mutations on targeted and untargeted ultraviolet mutagenesis, 181
— T4 DNA polymerase; rates and processivity on single-stranded DNA templates, 295
— — gene *44/62* protein complex, characterization of stimulatory effect on DNA synthesis by T4 DNA polymerase, 313
— — — — — — forms an ATPase that is stimulated by DNA and by T4 gene *45* protein, 279
— —-modified RNA polymerase displays changed promoter specificity and antitermination properties *in vitro*, 87
β-Barrels in proteins, twisted hyperboloid (*strophoid*) as a model, 567
Bartels, K. S. (see also Yonath, A.), 201
Bartunik, H. D. (see also Yonath, A.), 201
Base substituents, effect on the imino proton exchange rates in guanine and inosine-containing DNA, RNA and DNA–RNA duplexes, 207
Bednarek, A. (see also Skowronski, J.), 399
Beer, M. (see also Stoeckert, C. J., Jr), 483
Bergman, L. W. (see also Thoma, F.), 715
Bichara, M. (see also Koffel-Schwartz, N.), 33
Binding and location of AMP deaminase in rabbit psoas muscle myofibrils, 137
— spectrum, DNA, of the carcinogen *N*-acetoxy-*N*-2-acetylaminofluorene significantly differs from the mutation spectrum, 173
bobbed mutation, and the non-random loss of uninterrupted ribosomal DNA repeating units, 189
Borochov, N. (see also Ausio, J.), 373
Bovine 1·709 satellite. Recombination hotspots and dispersed repeated sequences, 399
Bruccoleri, R. (see also Novotný, J.), 787
Bruccoleri, R. E. (see also Novotný, J.), 567
Buckingham, R. H. (see also Vacher, J.), 329

Caillet-Fauquet, P. (see also Maenhaut-Michel, G.), 181
Calmodulin/trifluoperazine complex, preliminary X-ray data, 559
Capage, M. (see also Lin, R.-J.), 1
Carcinogen *N*-acetoxy-*N*-2-acetylaminofluorene, the DNA binding spectrum differs significantly from the mutation spectrum, 173
—-induced mutation spectrum in wild-type, *uvrA* and *umuC* strains of *Escherichia coli*. Strain specificity and mutation-prone sequences, 33
Cells, SV40-transformed, rearrangements of host and viral DNA, 431

ε-Chain locus of rat immunoglobulin E, 19
Chromatin, circular TRP1ARS1, nuclease digestion reveals positioned nucleosomes separated by nuclease-sensitive regions, 715
—, interaction with NaCl and $MgCl_2$; solubility and binding studies, transition to and characterization of the higher-order structure, 373
Chromosome, *Escherichia coli* K-12, a repetitive DNA sequence, *rhs*, responsible for duplications, 1
Circular TRP1ARS1 chromatin, nuclease digestion reveals positioned nucleosomes separated by nuclease-sensitive regions, 715
Coat protein sequence determination for tomato bushy stunt virus; structural implications, 701
Colicin E_3 immunity protein, crystallization and preliminary X-ray diffraction studies, 563
Collagen molecules modified with 2-propanol, determination of packing, 841
Common cold virus HRV14, human, virion orientation in cubic crystals, 417
Complex of T4 gene *44* and *62* replication proteins forms in ATPase that is stimulated by DNA and by T4 gene *45* protein, 279
— — — — — — — — —, characterization of the stimulatory effect on DNA synthesis by T4 DNA polymerase, 313
Conformation, effect on the imino proton exchange rates in guanine and inosine-containing DNA, RNA and DNA–RNA duplexes, 207
Cooper, J. & Trinick, J., Binding and location of AMP deaminase in rabbit psoas muscle myofibrils, 137
Cross-bridges, myosin, predominant attached state during contraction and relaxation at low ionic strength, 769
Crystal form, new, and preliminary crystallographic data for ferricytochrome *c'* from *Rhodospirillum rubrum*, 845
— structure analysis of two crystal modifications of human α_1-proteinase inhibitor, 531
Crystallization dynamics of sickle cell hemoglobin, and macrofiber structure, 819
— and preliminary X-ray diffraction studies of colicin E_3 immunity protein, 563
Crystallographic data, preliminary, for a monoclonal Fab fragment specific for HPr of the phosphotransferase system of *Escherichia coli*, 369
— refinement at 2·5 Å resolution of structure of satellite tobacco necrosis virus, 735
Crystals, cubic, of the human common cold virus HRV14; virion orientation, 417
Cuzin, F. (see also Hasson, J.-F.), 53
CYC1 mRNA of yeast, mutationally altered 3′ ends affect transcript stability and translational efficiency, 107

Daune, M. P. (see also Koffel-Schwarts, N.), 33
Deer, B. (see also Potel, M. J.), 819
Deisenhofer, J. (see also Loebermann, H.), 531
Delbaere, L. T. J. (see also Gehrig, L. M. B.), 559
— — — Vandonselaar, M.), 369
DNA binding spectrum of the carcinogen *N*-acetoxy-*N*-2-acetylaminofluorene significantly differs from the mutation spectrum, 173
—, bovine 1·709 satellite; recombination hotspots and dispersed repeated sequences, 399
—, guanine and inosine-containing, effect of environment, conformation, sequence and base substituents on the imino proton exchange rates, 207
—, host and viral, rearrangements in mouse cells transformed by SV40, 431
— polymerase, T4, rates and processivity on single-stranded DNA templates, 295
— —, —, and DNA synthesis, characterization of the stimulatory effect of T4 gene *45* protein and the gene *44/62* protein complex, 313
— repetitive sequence, *rhs*, responsible for duplications within the *Escherichia coli* K-12 chromosome, 1
— replication fidelity under conditions used for oligodeoxynucleotide-directed mutagenesis, 269
—, ribosomal, repeating units, non-random loss upon induction of a *bobbed* mutation, 189
— sequences complementary to human 7 SK RNA show structural similarities to the short mobile elements of the mammalian genome, 575
— stimulates the ATPase formed by the T4 gene *44/62* replication protein complex, 279
— synthesis by T4 DNA polymerase, characterization of the stimulatory effect of T4 gene *45* protein and the gene *44/62* protein complex, 313
DNAase I hypersensitive sites may be correlated with genomic regions of large structural variation, 591
Dispersed repeated sequences and recombination hotspots; bovine 1·709 satellite, 399

Duplexes, DNA–RNA, guanine and inosine-containing, effect of environment, conformation, sequence and base substituents on the imino proton exchange rates, 207
—, interstrand, in Friend erythroleukemia nuclear RNA. The interaction of non-polyadenylated nuclear RNA with polyadenylated nuclear RNA and with small nuclear RNAs, 343
Dynamics of sickle cell hemoglobin crystallization, 819

Eisenberg, H. (see also Ausio, J.), 373
Environment, effect on the imino proton exchange rates in guanine and inosine–containing DNA, RNA and DNA–RNA duplexes, 207
Erickson, J. W. (see also Arnold, E.), 417
Erythroleukemia nuclear RNA, interstrand duplexes; the interaction of non-polyadenylated nuclear RNA with polyadenylated nuclear RNA and with small nuclear RNAs, 343
Escherichia coli, identification of transfer RNA suppressors; amber suppressor Su^+6 a double mutant of a new species of leucine tRNA, 627
— — — — — — — —; ochre suppressors of lysine tRNA, 609
— — K-12 chromosome, a repetitive DNA sequence, *rhs*, responsible for duplications, 1
— —, point mutations that reduce the expression of *malPQ*, as positively controlled operon, 69
— —, preliminary crystallographic data for a monoclonal Fab fragment specific for HPr of the phosphoenolpyruvate : sugar phosphotransferase system, 369
— — tryptophan tRNA, the effect of point mutations on anticodon–anticodon interactions and on UGA suppression, 329
Expression of *malPQ*, a positively controlled operon of *Escherichia coli*, is reduced by point mutations, 69

Fab fragment, monoclonal, specific for HPr of the phosphoenolpyruvate : sugar phosphotransferase system of *Escherichia coli*; preliminary crystallographic data, 369
Ferricytochrome *c'* from *Rhodospirillum rubrum*, a new crystal form and preliminary crystallographic data, 845
Fersht, A. R. (see also Shi, J.-P.), 269
Fidelity of DNA replication under conditions used for oligodeoxynucleotide-directed mutagenesis, 269
Filaments, thick, skeletal, structure of the myosin projections, 461
Folding: an analysis of incorrectly folded protein models; implications for structure predictions, 787
Folkhard, W., Knörzer, E., Mosler, E. & Nemetschek, Th., Packing of collagen molecules modified with 2-propanol, 841
Fout, G. S. (see also Arnold, E.), 417
Frankenberger, E. A. (see also Arnold, E.), 417
Freund, A.-M. (see also Koffel-Schwartz, N.), 33
Friend erythroleukemia nuclear RNA, interstrand duplexes; the interaction of non-polyadenylated nuclear RNA with polyadenylated nuclear RNA and with small nuclear RNAs, 343
Fuchs, R. P. P., DNA binding spectrum of the carcinogen *N*-acetoxy-*N*-2-acetylaminofluorene significantly differs from the mutation spectrum, 173
Fuchs, R. P. P. (see also Koffel-Schwartz, N.), 33

Gehrig, L. M. B., Delbaere, L. T. J. & Hickie, R. A., Preliminary X-ray data for the calmodulin/trifluoperazine complex, 559
Gene *44/62* T4 protein complex, characterization of stimulatory effect on DNA synthesis by T4 DNA polymerase, 313
— — — — — forms an ATPase that is stimulated by DNA and by T4 gene *45* protein, 279
— *45* T4 protein, characterization of stimulatory effect on DNA synthesis by T4 DNA polymerase, 313
— — — — stimulates an ATPase that is formed by the complex of T4 gene *44* and *62* replication proteins, 279
Genes, structural, two required for transposition are encoded by insertion element IS*1*, 229
Genome, mammalian, the short mobile elements are structurally similar to DNA sequences complementary to human 7 SK RNA, 575
Genomic regions of large structural variation, and a possible correlation with DNAase I hypersensitive sites, 591
Goldfarb, A. & Malik, S., Changed promoter specificity and antitermination properties displayed *in vitro* by bacteriophage T4-modified RNA polymerase, 87
Grosjean, H. (see also Vacher, J.), 329
Guanine and inosine-containing DNA, RNA and DNA–RNA duplexes, effect of environment, conformation, sequence and base substituents on the imino proton exchange rates, 207

Gutierrez, C. & Raibaud, O., Point mutations that reduce the expression of *malPQ*, a positively controlled operon of *Escherichia coli*, 69

Harada, S. (see also Yasui, M.), 845
Harrison, S. C. (see also Hopper, P.), 701
Hasson, J.-F., Mougneu, E., Cuzin, F. & Yaniv, M., Simian virus 40 illegitimate recombination occurs near short direct repeats, 53
Heavy chain locus of rat immunoglobulin E, 19
— meromyosin, single-headed, X-ray scattering; cleavage of the myosin head from the rod does not change its shape, 153
Hecht, H.-J. (see also Arnold, E.), 417
Hellman, L. (see also Steen, M.-L.), 19
Hemoglobin, sickle cell, crystallization dynamics, and macrofiber structure, 819
Hickie, R. A. (see also Gehrig, L. M. B.), 559
Hill, C. W. (see also Lin, R.-J.), 1
Histone positions within the nucleosome using platinum labeling and the scanning transmission electron microscope, 483
Hopper, P., Harrison, S. C. & Sauer, R. T., Structure of tomato bushy stunt virus. V. Coat protein sequence determination and its structural implications, 701
Hotspots, recombination, and dispersed repeated sequences; bovine 1·709 satellite, 399
Houssier, C. (see also Vacher, J.), 329
HPr-specific monoclonal Fab fragment, preliminary crystallographic data; the phosphoenolpyruvate: sugar phosphototransferase system of *Escherichia coli*, 369
Huber, R. (see also Loebermann, H.), 531
Human common cold virus HRV14, virion orientation in cubic crystals, 417
— α_1-proteinase inhibitor. Crystal structure analysis of two crystal modifications, molecular model and preliminary analysis of the implications for function, 531
— 7 SK RNA, complementary DNA sequences show structural similarities to the short mobile elements of the mammalian genome, 575
Hyperboloid, twisted (*strophoid*), as a model of β-barrels in proteins, 567

Image reconstruction, three-dimensional, of tubulin hoops, 507
Imino proton exchange rates in guanine and inosine-containing DNA, RNA and DNA–RNA duplexes, effect of environment, conformation, sequence and base substituents, 207
Immunity protein, colicin E_3, crystallization and preliminary X-ray diffraction studies, 563
Immunoglobulin E heavy chain locus, rat, 19
Inokuchi, H. (see also Yoshimura, M.), 609, 627
Inosine and guanine-containing DNA, RNA and DNA–RNA duplexes, effect of environment, conformation, sequence and base substituents on the imino proton exchange rates, 207
Insertion element IS*1* encodes two structural genes required for its transposition, 229
Interference between M13 and *ori*M13 plasmids is mediated by a replication enhancer sequence near the viral strand origin, 685
Interstrand duplexes in Friend erythroleukemia nuclear RNA. The interaction of non-polyadenylated nuclear RNA with polyadenylated nuclear RNA and with small nuclear RNAs, 343
IS*1*, both inverted repeat sequences located at the ends provide promoter functions, 247
— insertion element encodes two structural genes required for its transposition, 299
IS*50R* proteins, role in the promotion and control of Tn*5* transposition, 645

Jaworski, J. (see also Skowronski, J.), 399
Johnson, R. C. & Reznikoff, W. S., Role of the IS*50R* protein in the promotion and control of Tn*5* transposition, 645
Johnston, S. & Ray, D. S., Interference between M13 and *ori*M13 plasmids is mediated by a replication enhancer sequence near the viral strand origin, 685
Jones, T. A. & Liljas, L., Structure of satellite tobacco necrosis virus after crystallographic refinement at 2·5 Å resolution, 735
Josephs, R. (see also Potel, M. J.), 819

Kai, Y. (see also Yasui, M.), 845
Karplus, M. (see also Novotný, J.), 787
Kasai, N. (see also Yasui, M.), 845
Kearns, D. R. (see also Mirau, P. A.), 207

Kelly, T. J., Jr (see also Mounts, P.), 431
Kimura, M. (see also Yoshimura, M.), 609
Knight, P. & Trinick, J., Structure of the myosin projections on native thick filaments from vertebrate skeletal muscle, 461
Knörzer, E. (see also Folkhard, W.), 841
Koffel-Schwartz, N., Verdier, J.-M., Bichara, M., Freund, A.-M., Daune, M. P. & Fuchs, R. P. P., Carcinogen-induced mutation spectrum in wild-type *uvrA* and *umuC* strains of *Escherichia coli*. Strain specificity and mutation-prone sequences, 33

λ (see also Bacteriophage), 181
lacZ translation initiation mutations, 663
Lee, J. S. (see also Vandonselaar, M.), 369
Leucine tRNA, amber suppressor Su^+6 a double mutant of a new species; identification of tRNA suppressors in *Escherichia coli*, 627
Levinson, B. L. (see also Shoham, M.), 563
Liljas, L. (see also Jones, T. A.), 735
Lin, R.-J., Capage, M. & Hill, C. W., A repetitive DNA sequence, *rhs*, responsible for duplications within the *Escherichia coli* K-12 chromosome, 1
Lipkin, L. E. (see also Nussinov, R.), 591
Loebermann, H., Tokuoka, R., Deisenhofer, J. & Huber, R., Human α_1-proteinase inhibitor. Crystal structure analysis of two crystal modifications, molecular model and preliminary analysis of the implications for function, 531
Luo, M. (see also Arnold, E.), 417
Lysine tRNA, ochre suppressors; identification of tRNA suppressors in *Escherichia coli*, 609

M13 and *ori*M13 plasmids, interference between them is mediated by a replication enhancer sequence near the viral strand origin, 685
Mace, D. C. & Alberts, B. M., Characterization of the stimulatory effect of T4 gene *45* protein and the gene *44/62* protein complex on DNA synthesis by T4 DNA polymerase, 313
—— & —, The complex of T4 bacteriophage gene *44* and *62* replication proteins forms an ATPase that is stimulated by DNA and by T4 gene *45* protein, 279
— & —, T4 DNA polymerase. Rates and processivity on single-stranded DNA templates, 295
Macrofiber structure and the dynamics of sickle cell hemoglobin crystallization, 819
Machida, C., Machida, Y. & Ohtsubo, E., Both inverted repeat sequences located at the ends of IS*1* provided promoter functions, 247
— (see also Machida, Y.), 299
Machida, Y., Machida, C. & Ohtsubo, E., Insertion element IS*1* encodes two structural genes required for its transposition, 229
— (see also Machida, C), 247
Maenhaut-Michel, G. & Caillet-Fauquet, P., Effect of *umuC* mutations on targeted and untargeted ultraviolet mutagenesis in bacteriophage λ, 181
$MgCl_2$, interaction with chromatin, 373
Maizel, J. V., Jr (see also Nussinov, R.), 591
Malik, S. (see also Goldfarb, A.), 87
malPQ, a positively controlled operon of *Escherichia coli*, the expression is reduced by point mutations, 69
Malva, C. (see also Salzano, G.), 189
Mammalian genome short mobile elements are structurally similar to DNA sequences complementary to human 7 SK RNA, 575
Mandelkow, E., Schultheiss, R. & Mandelkow, E.-M., Assembly and three-dimensional image reconstruction of tubulin hoops, 507
Mandelkow, E.-M. (see also Mandelkow, E.), 507
Melli, M. (see also Murphy, S.), 575
Mendelsen, R. A. & Wagner, P. D., X-ray scattering by a single-headed heavy meromyosin. Cleavage of the myosin head from the rod does not change its shape, 153
Meromyosin, heavy, single-headed, X-ray scattering; cleavage of the myosin head from the rod does not change its shape, 153
Messenger RNA, *CYC1*, yeast, mutationally altered 3′ ends affect transcript stability and translational efficiency, 107

Miller, K. S., Zbrzezna, V. & Pogo, A. O., Interstrand duplexes in Friend erythroleukemia nuclear RNA. The interaction of non-polyadenylated nuclear RNA with polyadenylated nuclear RNA and with small nuclear RNAs, 343
Mirau, P. A. & Kearns, D. R., Effect of environment, conformation, sequence and base substituents on the imino proton exchange rates in guanine and inosine-containing DNA, RNA and DNA RNA duplexes, 207
Mobile elements, short, of the mammalian genome, are structurally similar to DNA sequences complementary to human 7 SK RNA, 575
Monoclonal Fab fragment specific for HPr of the phosphoenolpyruvate : sugar phosphotransferase system of *Escherichia coli*; preliminary crystallographic data, 369
Mosler, E. (see also Folkhard, W.), 841
Mougneau, E. (see also Hasson, J.-F.), 53
Mounts, P. & Kelly, T. J., Jr. Rearrangements of host and viral DNA in mouse cells transformed by simian virus 40, 431
Mouse cells transformed by SV40, rearrangements of host and viral DNA, 431
Munson, L. M., Stormo, G. D., Niece, R. L. & Reznikoff, W. S., *lacZ* translation initiation mutations, 663
Murphy, S., Altruda, F., Ullu, E., Tripodi, M., Silengo, L. & Melli, M., DNA sequences complementary to human 7 SK RNA show structural similarities to the short mobile elements of the mammalian genome, 575
Muscle myofibrils, rabbit, binding and location of AMP deaminase, 137
, skeletal, vertebrate, structure of the myosin projections on native thick filaments, 461
Mutagenesis, oligodeoxynucleotide-directed, and the fidelity of DNA replication, 269
, ultraviolet, in bacteriophage λ, effect of *umuC* mutations, 181
Mutation, *bobbed*, and the non-random loss of uninterrupted ribosomal DNA repeating units, 189
spectrum, carcinogen-induced, in wild-type, *uvrA* and *umuC* strains of *Escherichia coli*: strain specificity and mutation-prone sequences, 33
differs significantly from the DNA binding spectrum of the carcinogen *N*-acetoxy-*N*-2-acetylaminofluorene, 173
Mutationally altered 3′ ends of yeast *CYC1* mRNA affect transcript stability and translational efficiency, 107
Mutations, *lacZ* translation initiation, 663
, point, affecting *Escherichia coli* tryptophan tRNA, and their effect on anticodon–anticodon interactions and on UGA suppression, 329
, , that reduce the expression of *malPQ*, a positively controlled operon of *Escherichia coli*, 69
, *umuC*, effect on targeted and untargeted ultraviolet mutagenesis in bacteriophage λ, 181
Myofibrils, muscle, rabbit, binding and location of AMP deaminase, 137
Myosin cross-bridges, predominant attached state during contraction and relaxation at low ionic strengths, 769
head, cleavage from the rod does not change its shape: X-ray scattering by single-headed heavy meromyosin, 153
— projections on native thick filaments from vertebrate skeletal muscle: structure, 461

N-acetoxy-*N*-2-acetylaminofluorene, the DNA binding spectrum differs significantly from the mutation spectrum, 173
Nagano, H. & Yanagida, T., Predominant attached state of myosin cross-bridges during contraction and relaxation at low ionic strength, 769
Nemetschek, Th. (see also Folkhard, W.), 841
Newell, J. (see also Novotný, J.), 567
Niece, R. L. (see also Munson, L. M.), 663
Novotný, J., Bruccoleri, R. & Karplus, M., An analysis of incorrectly folded protein models. Implications for structure predictions, 787
, Bruccoleri, R. E. & Newell, J., Twisted hyperboloid (*strophoid*) as a model of β-barrels in proteins, 567
Nuclear RNA, erythroleukemia, interstrand duplexes: the interaction of non-polyadenylated nuclear RNA with polyadenylated nuclear RNA and with small nuclear RNAs, 343
Nuclease digestion of circular TRP1ARS1 chromatin reveals positioned nucleosomes separated by nuclease-sensitive regions, 715
Nucleosome, histone positions using platinum labeling and the scanning transmission electron microscope, 483

Nussinov, R., Shapiro, B., Lipkin, L. E. & Maizel, J. V., Jr, DNAase I hypersensitive sites may be correlated with genomic regions of large structural variation, 591

Ochre suppressors of lysine tRNA; identification of tRNA suppressors in *Escherichia coli*, 609
Ohno, M. (see also Yoshimura, M.), 609
Ohtsubo, E. (see also Machida, C.), 247
— — — Machida, Y.), 229
Oligodeoxynucleotide-directed mutagenesis conditions and the fidelity of DNA replication, 269
*ori*M13 and M13 plasmids, interference between them is mediated by a replication enhancer sequence near the viral strand origin, 685
Ozeki, H. (see also Yoshimura, M.), 609, 627

Packing of collagen molecules modified with 2-propanol, 841
Pettersson, U. (see also Steen, M.-L.), 19
Phosphoenolpyruvate : sugar phosphotransferase system of *Escherichia coli*, preliminary crystallographic data for a monoclonal Fab fragment specific for HPr, 369
Plasmids M13 and *ori*M13, interference between them is mediated by a replication enhancer sequence near the viral strand origin, 685
Platinum labeling and scanning transmission electron microscope used in determination of histone positions within the nucleosome, 483
Pluciennicak, A. (see also Skowronski, J.), 399
Pogo, A. O. (see also Miller, K. S.), 343
Polyadenylated nuclear RNA, interaction with non-polyadenylated nuclear RNA; interstrand duplexes in Friend erythroleukemia nuclear RNA, 343
Potel, M. J., Wellems, T. E., Vassar, R. J., Deer, B. & Josephs, R., Macrofiber structure and the dynamics of sickle cell hemoglobin crystallization, 819
Predominant attached state of myosin cross-bridges during contraction and relaxation at low ionic strength, 769
Promoter functions are provided by both inverted repeat sequences located at the ends of IS*1*, 247
2-Propanol-modified collagen molecules, determination of packing, 841
Protein models, incorrectly folded; the implications for structure predictions, 787
Proteins, IS*50R*, role in the promotion and control of Tn*5* transposition, 645
—, twisted hyperboloid (*strophoid*) as a model of β-barrels, 567
α_1-Proteinase inhibitor, human; crystal structures analysis of two crystal modifications, molecular model and preliminary analysis of the implications for function, 531

Rabbit psoas muscle myofibrils, binding and location of AMP deaminase, 137
Raibaud, O. (see also Gutierrez, C.), 69
Rat immunoglobulin E heavy locus, 19
Ray, D. S. (see also Johnston, S.), 685
Recombination hotspots and dispersed repeated sequences, bovine 1·709 satellite, 399
—, illegimate, SV40, occurs near short direct repeats, 53
Repeating units, uninterrupted ribosomal DNA, non-random loss upon induction of a *bobbed* mutation, 189
Repeats, short direct, and the location of SV40 illegitimate recombination, 53
Repetitive DNA sequence, *rhs*, responsible for duplications within the *Escherichia coli* K-12 chromosome, 1
Replication enhancer sequence near the viral strand origin mediates interference between M13 and *ori*M13 plasmids, 685
— fidelity for DNA under conditions used for oligodeoxynucleotide-directed mutagenesis, 269
Reznikoff, W. S. (see also Johnson, R. C.), 645
— — — Munson, L. M.), 663
RNA, guanine and inosine-containing, effect of environment, conformation, sequence and base substituents on the imino proton exchange rates, 207
—, human 7 SK, complementary DNA sequences show structural similarities to the short mobile elements of the mammalian genome, 575
— polymerase, T4-modified, displays changed promoter specificity and antitermination properties *in vitro*, 87
Ribosomal DNA repeating units, non-random loss upon induction of a *bobbed* mutation, 189
— large subunit from *Bacillus stearothermophilus*, some X-ray diffraction patterns from single crystals, 201

Ribosome binding site mutations, 663
Richards, F. M. (see also Shoham, M.), 563
Rhodospirillum rubrum, a new crystal form and preliminary crystallographic data for ferricytochrome *c'*, 845
rhs repetitive DNA sequence responsible for duplications within the *Escherichia coli* K-12 chromosome, 1
Rossmann, M. G. (see also Arnold, E.), 417
Rueckert, R. R. (see also Arnold, E.), 417

Salzano, G. & Malva, C., Non-random loss of uninterrupted ribosomal DNA repeating units upon induction of a *bobbed* mutation, 189
Satellite, bovine 1·709; recombination hotspots and dispersed repeated sequences, 399
— tobacco necrosis virus, structure after crystallographic refinement at 2·5 Å resolution, 735
Sauer, R. T. (see also Hopper, P.), 701
Scanning transmission electron microscope and platinum labeling used in determination of histone positions within the nucleosome, 483
Schultheiss, R. (see also Mandelkow, E.), 507
Seger, D. (see also Ausio, J.), 373
Sequence determination for coat protein of tomato bushy stunt virus; structural implications, 701
—, DNA, repetitive, *rhs*, responsible for duplications within the *Escherichia coli* K-12 chromosome, 1
—, effect on the imino proton exchange rates in guanine and inosine-containing DNA, RNA and DNA–RNA duplexes, 207
—, replication enhancer, near the viral strand origin, mediates interference between M13 and *ori*M13 plasmids, 685
Sequences, dispersed repeated, and recombination hotspots; bovine 1·709 satellite, 399
—, DNA, complementary to human 7 SK RNA show structural similarities to the short mobile elements of the mammalian genome, 575
—, inverted repeat, located at the ends of IS*1* provide promoter functions, 247
Shapiro, B. (see also Nussinov, R.), 591
Sherman, F. (see also Zaret, K. S.), 107
Shi, J.-P. & Fersht, A. R., Fidelity of DNA replication under conditions used for oligodeoxynucleotide-directed mutagenesis, 269
Shoham, M., Levinson, B. L. & Richards, F. M., Crystallization and preliminary X-ray diffraction studies of colicin E_3 immunity protein, 563
Short direct repeats and the location of SV40 illegitimate recombination, 53
Sickle cell hemoglobin crystallization dynamics, and macrofiber structure, 819
Silengo, L. (see also Murphy, S.), 575
Simian virus 40 illegimate recombination occurs near short direct repeats, 53
— — — transformation of mouse cells; rearrangements of host and viral DNA, 431
Simpson, R. T. (see also Thoma, F.), 715
Skowronski, J., Pluciennicak, A., Bednarek, A. & Jaworski, J., Bovine 1·709 satellite. Recombination hotspots and dispersed repeated sequences, 399
NaCl, interaction with chromatin, 373
Steen, M.-L., Hellman, L. & Pettersson, U., Rat immunoglobulin E heavy chain locus, 19
Stoeckert, C. J., Jr, Beer, M., Wiggins, J. W. & Wierman, J. C., Histone positions within the nucleosome using platinum labeling and the scanning transmission electron microscope, 483
Stormo, G. D. (see also Munson, L. M.), 663
Strophoid (twisted hyperboloid) as a model of β-barrels in proteins, 567
Structural genes, two, required for transposition are encoded by insertion element IS*1* , 229
— variation, large, in genomic regions, and DNAase I hypersensitive sites, 591
Structure analysis of two crystal modifications of human α_1-proteinase inhibitor, 531
—, higher-order, of chromatin; interaction of chromatin with NaCl and $MgCl_2$, 373
—, macrofiber, and the dynamics of sickle cell hemoglobin crystallization, 819
— of the myosin projections on native thick filaments from vertebrate skeletal muscle, 461
—, predictions, implications of incorrectly folded protein models, 787
— of satellite tobacco necrosis virus after crystallographic refinement at 2·5 Å resolution, 735
—, three-dimensional, of tubulin hoops, by image reconstruction, 507
— of tomato bushy stunt virus. Coat protein sequence determination and its structural implications, 701
Su^+6 amber suppressor a double mutant of a new species of leucine tRNA; identification of tRNA suppressors in *Escherichia coli*, 627

T4 (see also Bacteriophage), 87, 279, 295, 313
Termination properties, changed, displayed *in vitro* by T4-modified RNA polymerase, 87
Thick filaments from vertebrate skeletal muscle, structure of the myosin projections, 461
Thoma, F., Bergman, L. W. & Simpson, R. T., Nuclease digestion of circular TRP1ARS1 chromatin reveals positioned nucleosomes separated by nuclease-sensitive regions, 715
3′ ends, mutationally altered, of yeast *CYC1* mRNA affect transcript stability and translational efficiency, 107
Tn*5* transposition, role of the IS*50R* proteins in promotion and control, 645
Tokuoka, R. (see also Loebermann, H.), 531
Tomato bushy stunt virus, coat protein sequence determination and its structural implications, 701
Transcript stability is affected by mutationally altered 3′ ends of yeast *CYC1* mRNA, 107
Transfer RNA suppressors, identification in *Escherichia coli*; amber suppressor Su^+6 a double mutant of a new species of leucine tRNA, 627
— — —, — — — —; ochre suppressors of lysine tRNA, 609
— —, tryptophan, *Escherichia coli*, and the effect of point mutations on anticodon–anticodon interactions and on UGA suppression, 329
Transformation of mouse cells by SV40, rearrangements of host and viral DNA, 431
Translational efficiency is affected by mutationally altered 3′ ends of yeast *CYC1* mRNA, 107
Trifluoperazine/calmodulin complex, preliminary X-ray data, 559
Trinick, J. (see also Cooper, J.), 137
— — — Knight, P.), 461
Tripodi, M. (see also Murphy, S.), 575
TRP1ARS1 chromatin, nuclease digestion reveals positioned nucleosomes separated by nuclease-sensitive regions, 715
Tryptophan tRNA, *Escherichia coli*, and the effect of point mutations on anticodon–anticodon interactions and on UGA suppression, 329
Tubulin hoops, assembly and three-dimensional image reconstruction, 507
Twisted hyperboloid (*strophoid*) as a model of β-barrels in proteins, 567

UGA suppression, the effect of point mutations affecting *Escherichia coli* tryptophan tRNA, 329
Ullu, E. (see also Murphy, S.), 575
Ultraviolet mutagenesis, targeted and untargeted, in bacteriophage λ, effect of *umuC* mutations, 181
umuC mutations, effect on targeted and untargeted ultraviolet mutagenesis in bacteriophage λ, 181
— and *uvrA* strains of *Escherichia coli*, carcinogen-induced mutation spectrum; strain specificity and mutation-prone sequences, 33
Uninterrupted ribosomal DNA repeating units, non-random loss upon induction of a *bobbed* mutation, 189
uvra and *umuC* strains of *Escherichia coli*, carcinogen-induced mutatuon spectrum; strain specificity and mutation-prone sequences, 33

Vacher, J., Grosjean, H., Houssier, C. & Buckingham, R. H., The effect of point mutations affecting *Escherichia coli* tryptophan tRNA on anticodon–anticodon interactions and on UGA suppression, 329
Vandonselaar, M., Lee, J. S. & Delbaere, L. T. J., Preliminary crystallographic data for a monoclonal Fab fragment specific for HPr of the phosphoenolpyruvate : sugar phosphotransferase system of *Escherichia coli*, 369
Vassar, R. J. (see also Potel, M. J.), 819
Verdier, J.-M. (see also Koffel-Schwartz, N.), 33
Vertebrate skeletal muscle, structure of the myosin projections on native thick filaments, 461
Viral DNA and host DNA, rearrangements in mouse cells transformed by SV40, 431
— strand origin, interference between M13 and *ori*M13 plasmids is mediated by a nearby replication enhancer sequence, 685
Virion orientation in cubic crystals of the human common cold virus HRV14, 417
Virus HRV14, common cold, human, virion orientation in cubic crystals, 417
—, satellite tobacco necrosis, structure after crystallographic refinement at 2·5 Å resolution, 735
—, SV40 illegitimate recombination occurs near short direct repeats, 53
—, tomato bushy stunt; coat protein sequence determination and its structural implications, 701

Wagner, P. D. (see also Mendelsen, R. A.), 153
Wellems, T. E. (see also Potel, M. J.), 819
Wierman, J. C. (see also Stoeckert, C. J., Jr), 483

Wiggins, J. W. (see also Stoeckert, C. J., Jr), 483
Wittmann, H. G. (see also Yonath, A.), 201

X-ray data, preliminary, for the calmodulin/trifluoperazine complex, 559
— diffraction patterns from single crystals of the large ribosomal subunit from *Bacillus stearothermophilus*, 201
— — studies, preliminary, of colicin E_3 immunity protein, 563
— scattering by single-headed heavy meromyosin. Cleavage of the myosin head from the rod does not change its shape, 153

Yanagida, T. (see also Nagano, H.), 769
Yaniv, M. (see also Hasson, J.-F.), 53
Yasui, M., Harada, S., Kai, Y. & Kasai, N., A new crystal form and preliminary crystallographic data for ferricytochrome *c'* from *Rhodospirillum rubrum*, 845
Yeast *CYC1* mRNA, mutationally altered 3′ ends affect transcript stability and translational efficiency, 107
Yonath, A., Bartunik, H. D., Bartels, K. S. & Wittmann, H. G., Some X-ray diffraction patterns from single crystals of the large ribosomal subunit from *Bacillus stearothermophilus*, 201
Yoshimura, M., Inokuchi, H. & Ozeki, H., Identification of transfer RNA suppressors in *Escherichia coli*. IV. Amber suppressor Su^+6 a double mutant of a new species of leucine tRNA, 627
—, Kimura, M., Ohno, M., Inokuchi, H. & Ozeki, H., Identification of transfer RNA suppressors in *Escherichia coli*. III. Ochre suppressors of lysine tRNA, 609

Zaret, K. S. & Sherman, F., Mutationally altered 3′ ends of yeast *CYC1* mRNA affect transcript stability and translational efficiency, 107
Zbrzezna, V. (see also Miller, K. S.), 343